

SAFETY DATA SHEET

Issue Date 01-Apr-2020 Revision Date 01-Apr-2020 Version 1

Product identifier

Product Name PMMA Flashing Resin, PMMA H

Other means of identification

 Product Code
 83240

 UN/ID no.
 UN 1263

 Synonyms
 None

Recommended use of the chemical and restrictions on use

Recommended Use No information available. Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address FBC Chemical Corp.

P.O. Box 599 634 Route 228

Mars, Pennsylvania 16046

(724) 625-3116

Emergency telephone number

Emergency Telephone For Hazardous Materials [or Dangerous Goods] Incident , Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 USA and Canada: +1 703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Suspected of causing cancer

May cause respiratory irritation. May cause drowsiness or dizziness

Highly flammable liquid and vapor



Appearance Thick mastic

Physical state Liquid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed when product is not in use.

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical/ventilating/lighting/equipment

Keep cool

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see first aid information on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Very toxic to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown acute toxicity

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Methyl methacrylate	80-62-6	20 - 30%	*
2-Ethylhexyl acrylate	103-11-7	20 - 30%	*
Titanium Dioxide (Non Carcinogenic)	13463-67-7	20 - 30%	*
Talc	14807-96-6	10 - 20%	*
Alkyl ester	Proprietary	0 - 10%	*

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Revision Date 01-Apr-2020

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up the absorbed material (described just above) and transfer to properly labeled

containers for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

83240

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines**

exposure limits established by the region specific regulatory bodies

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Methyl methacrylate	• • • • • • • • • • • • • • • • • • • •		IDLH: 1000 ppm	
80-62-6	TWA: 50 ppm	TWA: 410 mg/m³ (vacated) TWA: 100 ppm	TWA: 100 ppm	
	(va (vac		TWA: 410 mg/m³	
Titanium Dioxide (Non	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³	
Carcinogenic)		(vacated) TWA: 10 mg/m³ total	TWA: 2.4 mg/m³ CIB 63 fine	
13463-67-7		dust	TWA: 0.3 mg/m³ CIB 63 ultrafine,	
			including engineered nanoscale	
Talc TWA: 2 mg/m³ particulate matter (va		(vacated) TWA: 2 mg/m³ respirable		
14807-96-6	containing no asbestos and <1%	dust <1% Crystalline silica,	TWA: 2 mg/m³ containing no	
	crystalline silica, respirable	containing no Asbestos	Asbestos and <1% Quartz	
	particulate matter	TWA: 20 mppcf if 1% Quartz or	respirable dust	
		more;use Quartz limit		

Appropriate engineering controls

Engineering Controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special technical protective measures are necessary.

Skin and body protection No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, a NIOSH/MSHA approved

respiratory protection should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Flammable above 10 degrees C and 50 degrees F

Physical state Liquid

AppearanceThick masticOdorNo information availableColorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No information available

pH No information available

Melting point/freezing point No information available

Boiling point / boiling range > 101 150°C / 213.8

Flash point > 10 150°C / > 50 °

Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air
Upper flammability limit:
Lower flammability limit:
No information available
No information available

Vapor pressure 1000

Vapor density No information available **Specific Gravity** No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available

Other Information

Oxidizing properties

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

83240

Product Information No data available.

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Methyl methacrylate 80-62-6	8420 - 10000 mg/kg (Rat)= 7872 mg/kg (Rat)	5000 - 7500 mg/kg (Rabbit)> 5 g/kg (Rabbit)	= 7093 ppm (Rat)4 h	
2-Ethylhexyl acrylate 103-11-7	= 4435 mg/kg (Rat)	= 7522 mg/kg (Rabbit)	•	
Titanium Dioxide (Non Carcinogenic) 13463-67-7	> 10000 mg/kg (Rat)	•	•	
Alkyl ester	> 31500 mg/kg (Rat)	··	"	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Methyl methacrylate 80-62-6	*	Group 3	•	*
2-Ethylhexyl acrylate 103-11-7	•	Group 3	~	
Titanium Dioxide (Non Carcinogenic) 13463-67-7	-	Group 2B	-	Х
Talc 14807-96-6	**	Group 3	**	Х

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document For exterior use only. Do not use indoors.

 ATEmix (oral)
 6,838.50 mg/kg

 ATEmix (dermal)
 7,522.00 mg/kg

 ATEmix (inhalation-vapor)
 7,093.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

14.75% of the mixture consists of components(s) of unknown hazards to the aquatic environment

The way of the street of the s				
Chemical Name	Algae/aquatic plants	Fish	Crustacea	
2-Ethylhexyl acrylate	44: 72 h Desmodesmus subspicatus	23: 48 h Leuciscus idus melanotus	17.45: 48 h Daphnia magna mg/L	
103-11-7	mg/L EC50 47: 96 h Desmodesmus	mg/L LC50	EC50	

Revision Date 01-Apr-2020

	subspicatus mg/L EC50		
Methyl methacrylate 80-62-6	170: 96 h Pseudokirchneriella subcapitata mg/L EC50	243 - 275: 96 h Pimephales promelas mg/L LC50 flow-through 170 - 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 326.4 - 426.9: 96 h Poecilia reticulata mg/L LC50 static 125.5 - 190.7: 96 h Pimephales promelas mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 153.9 - 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L	69: 48 h Daphnia magna mg/L EC50
Talc 14807-96-6	-	LC50 flow-through 100: 96 h Brachydanio rerio g/L LC50 semi-static	-
Alkyl ester	~	38 - 60: 96 h Lepomis macrochirus mg/L LC50 flow-through	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Methyl methacrylate 80-62-6	0.7
2-Ethylhexyl acrylate 103-11-7	4.64

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable local, regional, national and international

laws and regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl methacrylate	U162	Included in waste stream:	+	U162
80-62-6		F039		

Chemical Name	California Hazardous Waste Status
Methyl methacrylate	Toxic
80-62-6	Ignitable

14. TRANSPORT INFORMATION

DOT Ground: Regulated if shipped in containers >119 gallons (450 liters).

UN/ID no. UN 1263

Hazard Class 3
Packing Group II

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Methyl methacrylate - 80-62-6	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methyl methacrylate 80-62-6	1000 lb	•	į	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methyl methacrylate	1000 lb	*	RQ 1000 lb final RQ
80-62-6			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65
Titanium Dioxide (Non Carcinogenic) - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Methyl methacrylate	X	X	X
80-62-6			

PMMA Flashing Resin, PMMA H

Revision Date 01-Apr-2020 83240

2-Ethylhexyl acrylate 103-11-7	Х	Х	Х
Titanium Dioxide (Non Carcinogenic) 13463-67-7	х	Х	Х
Talc 14807-96-6	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Health hazards 0 Instability 0 **Physical and Chemical** NFPA Flammability 0

Properties HMIS Health hazards 2 Flammability 3 Physical hazards 1 Personal protection X

Prepared By FBC Administrative Services Department

Issue Date 01-Apr-2020 **Revision Date** 01-Apr-2020

Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet