A/P COVERAGE RATES: Roof Maintenance Products									
		Coverage (gallons/100 square feet)			APPLICATION METHOD				
PROD#	NAME-DESCRIPTION	<u>Metal</u>	<u>Built-up</u>	<u>Smooth</u>	<u>BRUSH</u>	SPRAY	TROWEL	CAULK	
12205	Rubberized Roof Coating	2-3 gals	3-5 gals	2-3 gals	Yes	Yes	NA	NA	
83050	Fiber Semi-Liquid Roof Coating	2-3 gals	3-5 gals	2-3 gals	Yes	Yes	NA	NA	
82750	Hi-Brite Aluminum Roof Coating (Fiber)	1-1.5 gals	2-3 gals	1.5-2 gals	Yes	Yes	NA	NA	
82850	Nonfibered Aluminum Roof Coating	.5-1 gals	1-1.5 gals	1 gal	Yes	Yes	NA	NA	
83150	Wet/Dry Surface Cement	4 gals	5-8 gals	4-5 gals	NA	NA	Yes	Yes	
83100	Black Plastic Roof Cement	4 gals	5-8 gals	4-5 gals	NA	NA	Yes	Yes	
81200	Asphalt Adhesive (Cold Lap)	N/A	1.5-4 gals	1.5-2 gals	Yes	Yes	NA	NA	
		<u>Poured</u>	Block		BRUSH	<u>SPRAY</u>	TROWEL	CAULK	
82500	Foundation Coating	1-1.5 gals.	1-2 gals		Yes	Yes	NA	NA	

	CAULKING TUBES				
83150	Wet/Dry Surface Cement	10.5 OZ Tube = 25 lineal feet of 1/4" x 1/4" bead			
42569	Wet/Dry Surface Cement	29 OZ Tube = 70 lineal feet of 1/4" x 1/4" bead			
41677	Neoprene Rubber Roof Cement	10.5 OZ Tube = 25	5 lineal feet of 1/4"	x 1/4" bead	

A/P COVERAGE RATES: Driveway Maintenance Products									
		Square Feet / Pail							
PROD#	NAME-DESCRIPTION	Rough	Smooth	1st Time Coated					
81290PP	Polymer Modified Asphalt Sealer	400	500	350-400	Note: The first time a driveway is sealed it			sealed it	
81270PP	Asphalt Emulsion Driveway Sealer	400	500	350-400	will typically use more sealer. Every				
	Asphalt Emulsion Fill 'N Seal	400			subsequent coating will require less sealer.				
51601	Liquid Asphalt Crack Filler	1 gallon yields 30 lineal feet in a 1" deep x 1/2 " wide crack							

NOTE:

• The coverage rates listed represented estimated coverage rates. The actual coverage rate will cary based on the porosity and texture of the surface. Roofing felts which are dried out or rough surfaces will require more material.



If you have further questions, please feel free to call our Asphalt Products headquarters at (800) 446-2340.

